

Model	Cooling	Ozone gr/hr	%wt	Flowrate SLPM	Pressure PSI	Power Watts	Heat Load BTU/hr
10g Gen1	air	11	5	3	7	135	460
10g Gen2	air	15	5	4	15	135	460
10g Gen2	air	7.1	10	1	15	135	460
20g Gen1	air	21	5	5	8	240	890
20g Gen2	air	25	5	7	20	240	890
20g Gen2	air	18	10	2.2	20	240	890
26g Gen1	water	26	5	4	15	260	890
26g Gen2	water	***	5	5	15	260	890
26g Gen2	water	***	10	5	15	260	890
30g Gen1	air	30	5	7	10	250	850
30g Gen1 Enhanced	air	33	5	8.5	10	250	850
30g Gen2	air	40	5	10	20	250	850
30g Gen2	air	29	10	3.8	20	250	850
50g Gen1	air	46	5	12	10	440	1500
50g Gen2	air	53	5	13	20	440	1500
50g Gen2	air	37	10	5	20	440	1500
60g Gen1	air	61	5	15	10	500	1700
60g Gen1 Enhanced	air	64	5	17	10	500	1700
60g Gen2	air	68	5	16	20	500	1700
60g Gen2	air	53	10	7	20	500	1700
60g Gen1 Dual Cool	air/water	60	5	15	10	500	1700
60g Gen1 Enhanced	air/water	67	5	17	10	500	1700
60g Gen2 Dual Cool	air/water	85	5	18	20	500	1700
60g Gen2 Dual Cool	air/water	52	10	7	20	500	1700
70g Gen1	air	75	5	18	10	700	2400
70g Gen1 Enhanced	air	90	5	23	10	700	2400
70g Gen2	air	94	6	20	20	700	2400
70g Gen2	air	65	10	8	20	700	2400
120g Gen1	air	120	5	25	15	1000	3400
120g Gen1 Enhanced	air	123	5	31	10	1000	3400
120g Gen2	air	151	5	35	20	1000	3400

Model	Cooling	Ozone gr/hr	%wt	Flowrate SLPM	Pressure PSI	Power Watts	Heat Load BTU/hr
120g Gen2	air	105	10	15	20	1000	3400
140g Gen1	air	***	5	***	***	1300	4800
140g Gen2	air	210	5	17	20	1300	4800
140g Gen2	air	175	10	20	20	1300	4800
150g Gen1	water	150	5	30	10	1200	4100
150g Gen1 Enhanced	water	155	5	40	10	1200	4100
150g Gen2	water	170	5	37	20	1200	4100
150g Gen2	water	105	10	14	20	1200	4100
300g Gen1	water	300	5	74	10	2400	8200
300g Gen1 Enhanced	water	308	5	77	10	2400	8200
300g Gen2	water	***	***	***	20	2400	8200
300g Gen2	water	275	10	35	20	2400	8200
450g Gen1	water	450	5	115	15	3600	12300
450g Gen1 Enhanced	water	***	10	54	***	3600	12300
450g Gen2	water	***	5	***	20	3600	12300
450g Gen2	water	430	10	54	20	3600	12300

*** - to be determined